

# Kitemark™ Certificate

This is to certify that:

Brisant Secure Ltd  
Units 2 & 3  
Staincliffe Mill Yard  
Halifax Road  
Dewsbury  
WF13 4AR  
United Kingdom

Holds Certificate Number: KM 657241

In respect of:

**TS007-1:2014+A2:2018 / TS007-1:2024**  
**Enhanced security performance requirements for replacement cylinders and/or associated hardware**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.



For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2016-07-04  
Latest Issue: 2025-02-25

Effective Date: 2025-02-25  
Expiry Date: 2026-11-17

Page: 1 of 6

# Kitemark™ Certificate

No. KM 657241

**TS007-1:2014+A2:2018 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware.**

<b>Table 1: Product identification table of Products Covered by Certificate (to be read in conjunction with Tables 2 - 4)</b>			
<b>Description</b>	<b>Additional Information</b>	<b>Model</b>	<b>Branded</b>
Cylinder	Euro profile cylinder including double key, single key and thumbturn options	1 star rated cylinder, model: <b>Ultion Plus</b>	Ultion
Cylinder	Euro profile cylinder including double key, single key and thumbturn options	3 star rated cylinder, model: <b>Ultion</b>	Ultion
Cylinder	Euro profile cylinder including double key, single key and thumbturn options	3 star rated cylinder, model: <b>WXM Ultion</b>	Ultion
Cylinder	Euro profile cylinder including double key, single key and thumbturn options	3 star rated cylinder, model: <b>Ultion Plus (D)</b>	Ultion
Security hardware	Handle	2 star rated security hardware, model: <b>SWEET</b>	Ultion
Security hardware	Handle	2 star rated security hardware, model: <b>SWEET Plus</b>	LOCKLOCK
<b>Note 1:</b>	All cylinders types have met the general vulnerability requirements outlined within clause 4.2 of TS007-1.		
<b>Note 2:</b>	All 3 star rated cylinders have been tested and is certified using only the original manufacturer key blanks.		

First Issued: 2016-07-04  
Latest Issue: 2025-02-25

Effective Date: 2025-02-25  
Expiry Date: 2026-11-17

Page: 2 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 657241

**TS007-1:2014+A2:2018 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware.**

<b>Table 2: Classification Table of Products Covered by Certificate</b> <b>In accordance with BS EN 1303 (to be read in conjunction with Tables 1 and 4)</b>								
<b>Minimum classification from EN 1303 required:</b>							<b>Cylinder models:</b>	<ul style="list-style-type: none"> <li>• <b>Ultion</b></li> <li>• <b>Ultion WXM</b></li> <li>• <b>Ultion Plus</b></li> <li>• <b>Ultion Plus (D)</b></li> </ul>
<b>1</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>C</b>	<b>5</b>	<b>D*</b>	<b>Achieved</b> (Note 3 applies)
<b>Note 3:</b>			*Cylinder(s) detailed in this table have achieved at least the minimum requirements against EN 1303:2015 as specified in clause 4.2 of TS007-1 (*) and at least the minimum requirements for 'Attack Resistance' as also stated in clause 4.2 of TS007-1 (without the use of furniture) as indicated in this table.					

<b>Table 3: Classification Table of Products Covered by Certificate</b> <b>In accordance with BS EN 1906 (to be read in conjunction with Tables 1 and 4)</b>								
<b>Minimum classification from EN 1906 required:</b>							<b>Security hardware models:</b>	<ul style="list-style-type: none"> <li>• <b>Sweet</b></li> <li>• <b>Sweet Plus</b></li> </ul>
<b>1</b>	<b>6</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>Achieved</b> (Note 4 applies)
<b>Note 4:</b>			Security hardware detailed in table 1 have achieved at least the minimum requirements against EN 1906:2012 as specified in clause 4.3 and as indicated in this table.					

First Issued: 2016-07-04

Latest Issue: 2025-02-25

Effective Date: 2025-02-25

Expiry Date: 2026-11-17

Page: 3 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
 To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
 A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 657241

**TS007-1:2014+A2:2018 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware.**

<b>Table 4: Requirements for Cylinders and/or Security Hardware in line with TS007-1 (to be read in conjunction with Tables 1, 2 and 3)</b>			
<b>Requirements in BS 3621</b>	<b>Cylinder model: Ultion Plus</b>	<b>Cylinder model: Ultion, Uliton WXM &amp; Ultion Plus (D)</b>	<b>Security hardware model: Sweet &amp; Sweet Plus</b>
Annex A clause A5 of BS 3621 as per clause 4.2 of TS007-1.	Achieved	Achieved	n/a
Annex A clause A6 of BS 3621 as per clause 4.2 of TS007-1.	Achieved	Achieved	n/a
Testing in accordance with PAS 24:2022 – Security hardware and/or cylinder test	n/a Note 5 applies	Achieved Note 6 applies	Achieved Note 7 applies
<b>Note 5:</b>	This cylinder offers resistance to many types of attack. It is designed to be used in conjunction with 2 two-star security door hardware to ensure enhanced resistance to all commonly used attack methods. Therefore, this product <b>MUST</b> be used in conjunction with two-star security door hardware meeting TS007-1 to ensure security.		
<b>Note 6:</b>	This cylinder offers resistance to the commonly used types of attack. No specific security hardware is required but installing this three-star cylinder in conjunction with security hardware complying with TS007-1 will increase attack resistance still further.		
<b>Note 7:</b>	Security hardware offers additional defence to several types of attack. However, to ensure enhanced resistance to all commonly used attack methods, this product <b>MUST</b> be used in conjunction with a 1 star or 3 star cylinder meeting TS007-1 to ensure security.		

## Additional Information

To satisfy the requirements for Kitemark under this scheme for a 'master key' system, this should not reduce the available combinations below the EN 1303 requirements and the stipulations detailed within BS 3621/BS 8621/BS 10621 and are only covered as a finished product, produced at the designated factory, covered by the Kitemark Certificate. In addition, a master keyed suite should also be designed so as not to compromise any anti-manipulation arrangements.

First Issued: 2016-07-04

Latest Issue: 2025-02-25

Effective Date: 2025-02-25

Expiry Date: 2026-11-17

Page: 4 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 657241

## TS007-1: 2024 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware.

<b>Table 1a: Product identification table of Products Covered by Certificate (to be read in conjunction with Tables 2a – 3a)</b>			
<b>Description</b>	<b>Additional Information</b>	<b>Model</b>	<b>Branded</b>
Cylinder	Euro profile cylinder including double key and thumbturn options up to 120mm.	3 star rated cylinder, model: <b>Ultion Alps Plus</b>	Ultion
<b>Note 1a:</b>	The above cylinder has met the general vulnerability requirements outlined within clause 4.2 of TS007-1.		
<b>Note 2a:</b>	The above cylinder has been tested and is certified using only the original manufacturer key blanks.		

<b>Table 2a: Classification Table of Products Covered by Certificate In accordance with BS EN 1303 (to be read in conjunction with Tables 1a and 3a)</b>								
<b>Minimum classification from EN 1303 required:</b>							<b>Cylinder model:</b>	<b>• Ultion Alps Plus</b>
<b>1</b>	<b>6</b>	<b>0</b>	<b>B</b>	<b>0</b>	<b>C</b>	<b>5</b>	<b>D*</b>	<b>Achieved</b> (Note 3a & 4a applies)
							*Cylinder(s) detailed in this table have achieved at least the minimum requirements against EN 1303:2015 as specified in clause 4.2 of TS007-1 (*) and at least the minimum requirements for 'Attack Resistance' as also stated in clause 4.2 of TS007-1 (without the use of furniture) as indicated in this table.	
							Fire classification achieved relative to frame material types as below: - Pine or Softwood Doorset 30mins Hardwood or Sapele Doorset 60mins	

First Issued: 2016-07-04  
Latest Issue: 2025-02-25

Effective Date: 2025-02-25  
Expiry Date: 2026-11-17

Page: 5 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 657241

## TS007-1: 2024 - Enhanced security performance requirements for replacement cylinders and/or associated security hardware.

<b>Table 3a: Requirements for Cylinders and/or Security Hardware in line with TS007-1 (to be read in conjunction with Tables 1a and 2a)</b>	
<b>Requirements in BS 3621</b>	<b>Cylinder model: Ultion Alps Plus</b>
Annex A clause A5 of BS 3621 as per clause 4.2 of TS007-1.	Achieved
Annex A clause A6 of BS 3621 as per clause 4.2 of TS007-1.	Achieved
Testing in accordance with PAS 24:2022+A1:2024 – Security hardware and/or cylinder test	Achieved (Note 5a applies)
<b>Note 5a:</b>	This cylinder offers resistance to the commonly used types of attack. No specific security hardware is required but installing this three-star cylinder in conjunction with security hardware complying with TS007-1 will increase attack resistance still further.

### Additional Information

To satisfy the requirements for Kitemark under this scheme for a 'master key' system, this should not reduce the available combinations below the EN 1303 requirements and the stipulations detailed within BS 3621/BS 8621/BS 10621 and are only covered as a finished product, produced at the designated factory, covered by the Kitemark Certificate. In addition, a master keyed suite should also be designed so as not to compromise any anti-manipulation arrangements.

First Issued: 2016-07-04

Latest Issue: 2025-02-25

Effective Date: 2025-02-25

Expiry Date: 2026-11-17

Page: 6 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.